THE BOOK OF ABSTRACTS

V Balkan Symposium on Fruit Growing June 18-21, 2023 Zagreb, Croatia



University of Zagreb Faculty of Agriculture Department of Pomology





V Balkan Symposium on Fruit Growing

The Book of Abstracts



June 18-21, 2023, Zagreb, Croatia

ORGANIZER

University of Zagreb Faculty of Agriculture under the auspices of the International Society for Horticultural Science

SUPPORTERS

University of Zagreb
City of Zagreb
Ministry of Agriculture
Ministry of Science and Education
Croatian National Tourist Board
Zagreb Tourist Board









V BALKAN SYMPOSIUM ON FRUIT GROWING JUNE 18-21, 2023, ZAGREB, CROATIA

Published by University of Zagreb Faculty of Agriculture (Croatia)

Editor in Chief Martina Skendrović Babojelić

Editorial Board Boris Duralija, Marko Vuković

Technical and Graphical Editors Jelena Gadže

> ISBN (USB stick) 978-953-8276-52-1

Web page: https://www.5bsfg.com/

The official language of the Symposium is English

Organized by the University of Zagreb Faculty of Agriculture under the auspices of the International Society for Horticultural Science

©2023 by the University of Zagreb Faculty of Agriculture. All rights reserved. No part of this book of abstracts may be reproduced and/or published in any form or by any means, electronic or mechanical, including photocopying, microfilm and recording, or by any information storage and retrieval system, without written permission from the publishers.









Organizing Committee

Martina Skendrović Babojelić, Croatia (Convener) Boris Duralija, Croatia (Convener) Marko Vuković, Croatia (Secretary) Jelena Gadže, Croatia Ivica Kisić, Croatia Goran Fruk, Croatia Đani Benčić, Croatia Kristina Batelja Lodeta, Croatia Aleš Vokurka, Croatia Aleksandar Mešić, Croatia Mario Njavro, Croatia Luka Cvitan, Croatia Željko Prgomet, Croatia Biserka Milić, Serbia Miljan Cvetković, Bosnia and Herzegovina Gulce Ilhan, Turkey

Honorary Committee

Mihail Coman, Romania Zlatko Čmelik, Croatia Sezai Ercisli, Turkey Karoly Hrotko, Hungary Dragan Milatović, Serbia Ivo Miljković, Croatia Đurđina Ružić, Serbia Militiadis Vasilakakis, Greece Argir Zhivondov, Bulgaria

Technological Committee

Darja Sokolić, Croatia
Tvrtko Jelačić, Croatia
Danijel Čiček, Croatia
Predrag Vujević, Croatia
Giorgio Jurić, Croatia
Leon Prelogović, Croatia
Božidar Hrenković, Croatia
Mario Bekčec, Croatia
Marko Ohnjec, Croatia
Marin Čagalj, Croatia

Scientific Committee

Boris Duralija, Croatia

Martina Skendrović Babojelić, Croatia

Ante Biško, Croatia

Sandro Bogdanović, Croatia

Igor Bogunović, Croatia

Snježana Bolarić, Croatia

Geza Bujdoso, Hungary

Danijela Bursać Kovačević, Croatia

Maria Butac Madalina, Romania

Maurizio Canavari, Italy

Magdalena Cara, Albania

Luca Corelli Grappadelli, Italy

Milena Đorđević. Serbia

Gordana Đurić, Bosnia and Herzegovina

Nesibe Ebru Kafkas, Turkey

Milica Fotirić Akšić, Serbia

Goran Fruk. Croatia

Fuad Gaši, Bosnia and Herzegovina

Muttalip Gundogdu, Turkey

Metka Hudina, Slovenia

Dario Ivić, Croatia

Lidija Jakobek, Croatia

Marjan Kiprijanovski, N. Macedonia

Tomas Kon. USA

Tomislav Kos, Croatia

Marin Krapac, Croatia

Dario Kremer. Croatia

Gunars Lacis. Latvia

Boris Lazarević. Croatia

Darija Lemić, Croatia

Scientific Committee

Ante Lončarić, Croatia

Nenad Magazin, Serbia

George Manganaris, Cyprus

Giulia Marino, USA

Luna Maslov Bandić, Croatia

Bruno Mezzetti, Italy

Michail Michailidis, Greece

Jasminka Milivojević, Serbia

Nebojša Milošević, Serbia

Senad Murtić, Bosnia and Herzegovina

Tomaš Nečas, Czech Republic

Dragan Nikolić, Serbia

Ivana Pajač Živković, Croatia

Jelena Popović-Đorđević, Serbia

Iva Prgomet, Croatia

Predrag Putnik, Croatia

Sanja Radičević, Serbia

Mira Radunić, Croatia

Branka Salopek Sondi, Croatia

Dunja Šamec, Croatia

Zlatko Šatović, Croatia

Jana Šic Žlabur, Croatia

Florin Stanica. Romania

Ivana Tomaz. Croatia

Marina Tomić Maksan, Croatia

Robert Veberić, Slovenia

Marija Vilievac-Vuletić. Croatia

Marko Vinceković. Croatia

Sandra Voća, Croatia

Darko Vončina. Croatia

IN SITU CHARACTERIZATION OF PLUM LANDRACES ORIGINATED FROM THE REGION OF WESTERN SERBIA

I. Glisic^{1*}, N. Milosevic¹, J. Tomic¹, M. Milinkovic², M. Djordjevic¹, S. Maric¹, S. Radicevic¹, B. Popovic¹

¹Fruit Research Institute, Cacak, Kralja Petra I 9, 32000 Cacak, Serbia ²Institute of Soil Science, Teodora Drajzera 7, Belgrade, Serbia

*Correspondence: iglisic@institut-cacak.org

Abstract

Eleven plum landraces ('G-1' to 'G-11') of unknown origin were sampled and analyzed as single trees on their own roots in orchards of the western Serbia region during 2020/21. The investigation included the most important agronomic traits such as harvest date, fruit and stone weight, fruit dimensions, surface area, soluble solids, and total acids as well as the ratio between them, total phenols and total anthocyanins, antioxidant activity, and field resistance to 'Sharka' disease (Plum pox virus). The collected material showed a wide range of variability in the studied properties. The investigated plum genotypes ripened between the 30th of July ('G-1') and the 15th of September ('G-11'). The 'G-3' was characterized by the largest fruit (37.12 g), while the smallest fruit was found in 'G-4' and 'G-5' (11.76 g; 13.39 g). In terms of the fruit's chemical composition, the best results were obtained in 'G-5' and 'G-11' characterized by the highest content of soluble solids (20.45%; 21.10%) and the ratio between soluble solids and total acids (21.73; 30.14). The smallest content of soluble solids (14.25%) was found in 'G-9', while 'G-3' and 'G-4' had the smallest ratio between soluble solids and total acids (8.53; 9.59) due to the high value of total acids content (1.94%; 2.09%). The genotype 'G-2' was characterized by the highest content of total phenols (197.50 mg GAE 100 g⁻¹ FW) and antioxidant activity (63.26%), while the value for total anthocyanins was highest in 'G-5' and 'G-8' (17.32 and 18.93 mg C3G 100 g-1 FW, respectively). The lowest level of bioactive compounds was found in 'G-3'. Regarding the field resistance to 'Sharka' disease, the assessed genotypes can be divided into three groups, without symptoms ('G-2' to 'G-4', 'G-6' and 'G-7'), with minor symptoms ('G-1', 'G-8' and 'G-9') and with moderate symptoms ('G-5', 'G-10' and 'G-11').

Key words: Prunus domestica L., ripening time, fruit properties, sharka resistance